

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: n-Heptane ASTM
Article number: 205427
CAS N°: 142-82-5
EC N°: 205-563-8
Index number: 601-008-00-2
Registration number 01-2119457603-38-0001

1.2 Relevant identified uses of the substance or mixture and uses advised against identified uses

No further relevant information available.
Manufacture of substance - Industrial
Distribution of substance - Industrial
Formulation and (re)packaging of substances and mixtures - Industrial
Use in Cleaning Agents - Industrial
Use in Cleaning Agents - Professional
Use as a Fuel - Industrial
Use as a Fuel - Professional
Use as a Fuel - Consumer
Use in Laboratories - Industrial
Use in Laboratories - Professional
Use in Agrochemicals - Professional

Application of the substance / the mixture

Solvents

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Haltermann Carless Deutschland GmbH
Schlengendeich 17
21107 Hamburg, Germany
+49 (0)40 333 18 0
MSDS-HCDE@h-c-s-group.com

Informing department: Product Stewardship

1.4 Emergency telephone number:

CHEMTREC +1-703-527-3887 / +44 20 3885 0382 (EMEA) / +44 20 3807 3798 (UK)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Skin Irrit. 2 H315 Causes skin irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM**Hazard pictograms**

GHS02

GHS07

GHS08

GHS09

Signal word

Danger

Hazard-determining components**of labelling:**

heptane

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

CAS No. Designation: 142-82-5 heptane

Identification number(s):

EC N°: 205-563-8

Index number: 601-008-00-2

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Instantly remove any clothing soiled by the product.

After inhalation

In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

After eye contact

Rinse opened eye for several minutes under running water.

After swallowing

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed**Danger**

No further relevant information available.

Aspiration hazard

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

The vapour is heavier than air, spreads along the ground and ignition at a greater distance is possible.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.
Prevent material from reaching sewage system, holes and cellars.
Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

Store in cool location.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM**7.3 Specific end use(s)** No further relevant information available.
SECTION 8: Exposure controls/personal protection
8.1 Control parameters**Components with critical values that require monitoring at the workplace:****142-82-5 heptane**IOELV Long-term value: 2085 mg/m³, 500 ppm**DNELs****142-82-5 heptane**

Oral Consumers 149 mg/kg bw/day (Long-term - systemic)

Dermal Workers 300 mg/kg bw/day (Long-term - systemic)

Consumers 149 mg/kg bw/day (Long-term - systemic)

Inhalative Workers 2,085 mg/m³ (Long-term - systemic)Consumers 447 mg/m³ (Long-term - systemic)**Additional information:** The lists that were valid during the compilation were used as basis.**8.2 Exposure controls****Appropriate engineering controls**

No further data; see section 7.

Individual protection measures, such as personal protective equipment**General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the skin.
Do not ingest.

Breathing equipment:

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device. Filter A.

Hand protection

Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Nitrile rubber, NBR
> 0,38 mm

Penetration time of glove material

> 480 min (EN 374)

Eye/face protection

Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties**General Information****Physical state**

Fluid

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM

Colour:	Colourless
Smell:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	-90.5 °C
Boiling point or initial boiling point and boiling range	98 °C
Flammability	Highly flammable.
Lower and upper explosion limit	
Lower:	1.1 Vol %
Upper:	6.7 Vol %
Flash point:	-4 °C
Auto-ignition temperature:	215 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water at 20 °C:	0.05 g/l
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	0.68 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Explosive properties:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.
Solvent content:	
VOC content (EU)	100 %
Change in condition	
Softening point/range	
Oxidising properties	Not applicable.
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM

Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	
Conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous reactions	No dangerous reactions known
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous decomposition products:	None

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

142-82-5 heptane

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rabbit) (OECD 402)

Inhalative LC50 /4 h >29.3 mg/L (rat) (OECD 403)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM

12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vPvB assessment	
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects	
Remark:	Very toxic for fish
Additional ecological information:	
General notes:	Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA UN1206

14.2 UN proper shipping name

ADR/RID 1206 HEPTANES, ENVIRONMENTALLY HAZARDOUS
IMDG HEPTANES, MARINE POLLUTANT
IATA HEPTANES

14.3 Transport hazard class(es)

ADR/RID



Class 3 (F1) Flammable liquids.
Label 3

IMDG



Class 3 Flammable liquids.


Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM

Label	3
IATA	
	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR/RID, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR/RID):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Flammable liquids.
Kemler Number:	33
EMS Number:	F-E,S-D
Stowage Category	B
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR/RID	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture TSCA (Toxic Substances Control Act)

: ACTIVE

Canadian Domestic Substances List (DSL)

Substance is listed.

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM**Philippines Inventory of Chemicals and Chemical Substances (PICCS)**

Substance is listed.

Chinese Chemical Inventory of Existing Chemical Substances (IECSC)

Substance is listed.

Australian Inventory of Industrial Chemicals (AIIC)

Substance is listed.

Korean Existing Chemical Inventory (KECI)

Substance is listed.

New Zealand Inventory of Chemicals (NZIoC)

Substance is listed.

Taiwan Chemical Substance Inventory (TCSI)

Substance is listed.

Japan Existing and New Chemical Substance List (ENCS)

Substance is listed.

Directive 2012/18/EU**Named dangerous substances -****ANNEX I**

Substance is not listed.

Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

**Qualifying quantity (tonnes) for
the application of lower-tier
requirements**

100 t

**Qualifying quantity (tonnes) for
the application of upper-tier
requirements**

200 t

REGULATION (EC) No 1907/2006**ANNEX XVII**

Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Substance is not listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.07.2024

Version number 34.2 (replaces version 34.1)

Revision: 08.04.2024

Trade name: n-Heptane ASTM

15.2 Chemical safety assessment:

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of previous version: 31.01.2024**Version number of previous
version:** 34.1**Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous
version altered.

Annex: Exposure scenario

**Short title of the exposure
scenario**n-Heptane
EC number: 205-563-8
http://pydio.haltermann.com/data/public/es_heptane.pdf